

Model	2012	2013	Module	Section	Function Value	New Value	Default	Description	
TRY IT AT YOUR OWN RISK!									
F30	X		ACSM	3000	Ausstattungsflags	SeatBeltReminder SBR Fahrer	nicht aktiv	aktiv	Disable seatbelt reminder sound - Driver
F30	X		ACSM	3000	Ausstattungsflags	SeatBeltReminder SBR Beifahrer	nicht aktiv	aktiv	Disable seatbelt reminder sound - Passenger
F30	X		IHKA	3002	Funktionskodierung	OFF MEMORY	aktiv	nicht aktiv	Remember last setting of A/C
3333333333	X		HU CIC	3000	HMI	SPEEDLOCK X KMH MAX	werte = FF	werte = 03	Disable DVD speedlock - Part 1 (Video in Motion)
F30	X		HU CIC	3000	HMI	SPEEDLOCK X KMH MIN	werte = FF	werte = 03	Disable DVD speedlock - Part 2 (Video in Motion)
F30	X		HU CIC	3000	HMI	VIDEO NUR MIT HANDBREMSE	nicht aktiv (werte = 0	aktiv (werte = 01)	Remove 'P' and handbreak requirement from DVD (Video in Motion)
F30	X		HU CIC	3001	EXBOX	LEGAL DISCLAIMER TIME	kein ld	ld mit timeout	Removes disclaimer (actual setting is to specify if there is a timeout or n
F30	X		HU CIC	3001	EXBOX	MACRO CAM LEGALDISCLAIMER	kein ld	ld mit timeout	Removes disclaimer from PDC and sideview
F30	X		HU CIC	3001	EXBOX	MACRO NIVICAM LDISCLAIMER	kein ld	ld mit timeout	Removes disclaimer from Nightvision (not tested yet, need nightvision (requ
F30	X		HU CIC	3000	HMI	LANGUAGE ## (number goes from 1 to 16 at ##)	Change to own preferen	Country specific	Adds new language to menu (selecting does not seem to work, possibly not on
F30	X		HU CIC	3000	HMI	HUD TURN SIGNAL	aktive (werte = 01)	nicht aktiv (werte =	Shows turnsignal in HUD (did not seem to work, further testing needed)
F30	X		HU CIC	3000	HMI	JUNCTION VIEW HUD	aktive (werte = 01)	nicht aktiv (werte =	Shows 3D exits in HUD (works partially, locks navigation in iDrive screen,
F30	X		HU CIC	3000	HMI	SETTINGS SPIRITOFECSTACY	aktive (werte = 01)	nicht aktiv (werte =	Supposedly shows RR logo (adds checkbox in settings menu but unable to sele
F30	X		HU CIC	3000	HMI	EFF DYN SPORT CID	aktive (werte = 01)	nicht aktiv (werte =	Enable sport displays (no guarantee for data!)
F30	X		HU CIC	3000	HMI	EFF DYN SPORT UNIT	aktive (werte = 01)	nicht aktiv (werte =	Adds HP/LB FT/KGM/etc to sports display (can be set in settings menu after
F30	X		HU CIC	3000	HMI	ENTWICKLER MENUE	aktive (werte = 01)	nicht aktiv (werte =	Developer menu, shows dates/build/version/etc in iDrive
F30	X		HU CIC	3001	EXBOX	AREA CODE DVD	Change to own preferen	Country specific	Change DVD region code to 1,2,3,4,5,6 or 'everything else'. Unfortunately n
F30	X		HU CIC	3001	EXBOX	RDC SAFETY	aktive (werte = 01)	nicht aktiv (werte =	Displays tire pressure and temperature in iDrive TPMS
F30	X		HU CIC	3000	HMI	M KEY SETTINGS	aktive (werte = 01)	nicht aktiv (werte =	Unsure, needs additional testing
F30	X		HU CIC	3000	HMI	MDRIVE	aktive (werte = 01)	nicht aktiv (werte =	Shows M Drive menu in iDrive, cannot seem to select settings, needs testing
F30	X		HU CIC	3000	HMI	MDRIVE CONFIG	1 or 2 menu	1 menu	Shows 1 or 2 M Drive menu's
F30	X		HU CIC	3000	HMI	M DIGITAL TACHO	aktive (werte = 01)	nicht aktiv (werte =	Supposedly shows digital tach, did add new selection box in iDrive but did
F30	X		HU CIC	3000	HMI	M DIGITAL TACHO EINH	aktive (werte = 01)	nicht aktiv (werte =	Select units (km/h or mph) for the digital tach. Units cannot be selected,
F30	X		HU CIC	3000	HMI	MDRIVE REUKO	aktive (werte = 01)	nicht aktiv (werte =	Unsure, needs additional testing
F30	X		HU CIC	3001	EXBOX	HUD M	aktive (werte = 01)	nicht aktiv (werte =	M Hud is selectable in HUD menu, did not see any change after selecting, ne
F30	X		HU CIC	3000	HMI	L7 SURROUND CONFIG	aktive (werte = 01)	nicht aktiv (werte =	Shows slider in tone menu. Does not do much more than on/off
F30	X		HU CIC	3000	HMI	LOGIC7 SYMBOL	nicht aktiv (werte = 0	aktiv (werte = 01)	Shows L7 symbol in tone menu
F30	X		HU CIC	3000	HMI	HUD DISTANCE INFO	aktive (werte = 01)	nicht aktiv (werte =	Added selection box to settings menu but didn't make any difference, needs
F30	X		HU CIC	3000	HMI	HEADLIGHT SETTING	aktive (werte = 01)	nicht aktiv (werte =	Supposedly adds new settings menu, did see menu but couldn't select anythin
F30	X		HU CIC	3000	HMI	SETTINGS TOURIST LIGHT	aktive (werte = 01)	nicht aktiv (werte =	Supposedly changes headlights for lefthand drive to righthand drive, needs
F30	X		HU CIC	3002		RADIO WEATHERBAND	aktive (werte = 01)	nicht aktiv (werte =	Adds weatherband radio (NOAA in US) to radio
F30	X		HU CIC	3003	TELEFON TELEMAT..	ONLINE BROWSER	various	nur bmw online aktiv	BMW Online or internet, none or both, can be selected. Needs testing, I re
F30	X		HU CIC	3001	EXBOX	TV	wert 21/werte=15	wert 255/werte=FF	Unsure, needs additional testing
F30	X		TR SVC	3000		SV Activate Speed Limit	werte = FF	werte = 0F	Activate Side View Camera at all speeds - Part 1
F30	X		TR SVC	3000		SV Deactivate Speed Limit	werte = FF	werte = 0F	Activate Side View Camera at all speeds - Part 2
The following FEM_BODY module causes a temporary error code 'adaptive headlight malfunction', should go away after starting car. Adaptive headlights still function!									
F30	X		FEM BODY	3110	PfExternalMirrorMas	ASP BEIKLAPPEN BEI KOMFORTSCHLIESSEN	aktiv (werte = 01)	nicht aktiv (werte =	Close mirrors during Comfort Access closing (needs FB for keyfob or PA fo
F30	X		FEM BODY	3110	PfExternalMirrorMas	ASP AUSKLAPPEN NACH KOMFORTSCHLIESSEN	aktiv (werte = 01)	nicht aktiv (werte =	Opens mirrors automatically when unlocking car if mirrors were locked by ho
F30	X		FEM BODY	3110	PfExternalMirrorMas	ASP GESCHWINDIGKEIT AUTO AUSKLAPPEN	werte = 14 (20 km/h)	werte = 28 (40 km/h)	Opens mirrors automatically at a certain speed (km/h in HEX)
F30	X		FEM BODY	3080	WipeWashMaster	WW ANZAHL WASCHBET ZUR SRA	01 or 05 betaetigungen	10 betaetigungen	Headlight washer interval (how many regular washes in between headlight was
F30	X		FEM BODY	3080	WipeWashMaster	WW SCHEINWERFERREINIGUNG	nicht aktiv (werte = 0	aktiv (werte = 01)	Headlight washers active or not active
F30	X		FEM BODY	3080	WipeWashMaster	WW ANZAHL SPIRITZIMPULSE STA	3 Impulse	2 Impulse	Amount of sprays per headlight wash
F30	X		FEM BODY	3080	WipeWashMaster	WW SRA GESCHWINDIGKEITS DEAKTIVIERUNG	Change to own preferen	werte = 82 (130 km/h	Speed at which headlight washing is not available anymore (km/h in HEX) - N
F30	X		FEM BODY	3053	PwMaster	KOMFORTSCHLIESSUNG FB	aktiv (werte = 00)	nicht aktiv (werte =	Closes windows/roof with keyfob (add ASP BEIKLAPPEN etc. for mirror closing
F30	X		FEM BODY	3053	PwMaster	KOMFORTSCHLIESSUNG PA	No need to change	aktiv (werte = 00)	Closes windows/roof with doorhandles (add ASP BEIKLAPPEN etc. for mirror cl
F30	X		FEM BODY	3023	TcMaster2	TCM MSA DEFAULT OFF	aktiv (werte = 01)	nicht aktiv (werte =	Auto-Start-Stop by default off
F30	X		FEM BODY	3023	TcMaster2	TCM MSA MEMORY	aktiv (werte = 01)	nicht aktiv (werte =	Auto-Start-Stop will remember it's last setting (only if default off is nic
F30	X		FEM BODY	3062	LceLampMapping1	MAPPING ABBIEGEL L OUTPUT	off	al l	Not yet tested but probably disables fog lights during cornering
F30	X		FEM BODY	3062	LceLampMapping1	MAPPING ABBIEGEL R OUTPUT	off	al r	Not yet tested but probably disables fog lights during cornering
F30	X		FEM BODY	3063	LceLampMapping2	MAPPING SIDEMARKER L OUTPUT	off	fra v l (werte = 0D)	Turns left front sidemarker (amber light) off, blinker still works (US only
F30	X		FEM BODY	3063	LceLampMapping2	MAPPING SIDEMARKER R OUTPUT	off	fra v r (werte = 0E)	Turns right front sidemarker (amber light) off, blinker still works (US onl

F30	X		FEM BODY	3050 Pw Client	FH TUERAUF STOP MAUT	nicht aktiv (werte = 0	aktiv (werte = 01)	When 'nicht aktiv', the windows can be rolled up whether or not the door is
F30	X		FEM BODY	3060 LceMaster	NSW AUS BEI FL	nicht aktiv (werte = 0	aktiv (werte = 01)	Fog lights should supposedly stay on when high beams are on, needs testing
F30	X		FEM BODY	3040 ClMaster	CLM UNLOCK KL15OFF AFTER PIA AUTO LOCK	aktiv (werte = 01)	nicht aktiv (werte =	When vehicle is turned off, all doors unlock automatically (only 1 time pul
F30	X		FEM BODY	3053 PwMaster	KOMFORT OEFF HINTEN	lower werte to desired amount		Change delay between front and rear windows open w/ fob or comfort access
F30	X		FEM BODY	3053 PwMaster	KOMFORT OEFF SHD	lower werte to desired amount		Change delay between front and rear windows open w/ fob or comfort access
F30	X		FEM BODY	3053 PwMaster	KOMFORT SCHL VORNE	lower werte to desired amount		Change delay between front and rear windows closing w/ fob or comfort acces
F30	X		FEM BODY	3053 PwMaster	KOMFORT SCHL SHD	lower werte to desired amount		Change delay between front and rear windows closing w/ fob or comfort acces
F30	X		FEM BODY	30D0 RemoteControl	RC TIME DELAY BOOTLID	lower werte to desired amount		Shorten keyfob 'hold' time when opening trunk
F30	X		FEM BODY	3063 LceLampMapping2	MAPPING NEBELSCHW L PART OF WL	select "soft on" or "hard on"		Turn on left foglight with welcome light
F30	X		FEM BODY	3063 LceLampMapping2	MAPPING NEBELSCHW R PART OF WL	select "soft on" or "hard on"		Turn on right foglight with welcome light
F30	X		FEM BODY	3061 LceOutputChannels	FRA V L KALTUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (left)
F30	X		FEM BODY	3061 LceOutputChannels	FRA V L WARMUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (left)
F30	X		FEM BODY	3061 LceOutputChannels	FRA V L IS LED	aktiv	nicht aktiv	To remove blinking from LED rear turnsignals (left)
F30	X		FEM BODY	3061 LceOutputChannels	FRA V R KALTUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (right)
F30	X		FEM BODY	3061 LceOutputChannels	FRA V R WARMUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (right)
F30	X		FEM BODY	3061 LceOutputChannels	FRA V R IS LED	aktiv	nicht aktiv	To remove blinking from LED rear turnsignals (right)
The following KOMBI module might require you to set the time and date again.								
F30	X		KOMBI	3000 Anzeige Konfigurati	BC DIGITAL V	aktiv	nicht aktiv	Enables digital speed in BC
F30	X		KOMBI	3000 Anzeige Konfigurati	GPS UHR	aktiv	nicht aktiv	Enables clock synchronization through GPS
F30	X		KOMBI	3000 Anzeige Konfigurati	BMW LOGO	mpm	ag	Change BMW logo in kombi (and headsup display) to M Performance logo
F30	X		CMB MEDIA	3001 TELEPHONE PARAM.	RINGTONE	Change to own preferen	ring tone2	Change the car/bluetooth phone ringtone
F30	X		CMB MEDIA	3001 TELEPHONE PARAM.	INBAND RINGING	aktiv (werte = 01)	nicht aktiv (werte =	Use ringtone from phone as car/bluetooth phone ringtone (doesn't seem to wo
F30	X		CMB MEDIA	3006 TELEMATIK	MY INFO SUPPORTED PIOS	Change to own preferen	wert 25	Maximum stored CIC messages/addresses that can be stored in vehicle, max 50
F30	X		REM 01	3201 PdcVehicleConfig	CUT OFF SPEED	Change to own preferen	werte = 0F	Max speed when visible and audible warning is given with PDC (km/h in hexad
F30	X		REM 01	3201 PdcVehicleConfig	CUT OFF SPEED HYST	Change to own preferen	werte = 01	Adjustment above or below to CUT OFF SPEED (in km/h hexadecimal)
F30	X		REM 01	3062 LceLampMapping1	MAPPING TAGFAHRL H L OUTPUT	sl 1	off	Turns left side tail light (only outside part) on with DLR
F30	X		REM 01	3062 LceLampMapping1	MAPPING TAGFAHRL H R OUTPUT	ls r	off	Turns right side tail light (only outside part) on with DLR
F30	X		REM 01	3063 LceLampMapping2	MAPPING UNIVERSAL 6 OUTPUT	sl 2 l	off	Turns left side tail light (only inside part) on with DLR
F30	X		REM 01	3063 LceLampMapping2	MAPPING UNIVERSAL 7 OUTPUT	sl 2 r	off	Turns right side tail light (only inside part) on with DLR
F30	X		REM 01	3203 PdcParkMasterVar	V SCHWELLE 1	werte = FF	werte = 24	Max. speed to disable top camera view (FF = 255 km/h)
F30	X		REM 01	3203 PdcParkMasterVar	V SCHWELLE 2	werte = FF	werte = 0F	Max speed to disable rear camera view (FF = 255 km/h)
F30	X		REM 01	3203 PdcParkMasterVar	D SCHWELLE 1	werte = FF	werte = 32	Max distance in meters to disable top camera view (FF = 255 meters)
F30	X		REM 01	3203 PdcParkMasterVar	D SCHWELLE 2	werte = FF	werte = 0A	Max distance in meters to disable rear camera view (FF = 255 meters)
F30	X		REM 01	3061 LceOutputChannels	BL L KALTUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED breaklights (left)
F30	X		REM 01	3061 LceOutputChannels	BL L WARMUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED breaklights (left)
F30	X		REM 01	3061 LceOutputChannels	BL L IS LED	aktiv	nicht aktiv	To remove blinking from LED breaklights (left)
F30	X		REM 01	3061 LceOutputChannels	BL R KALTUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED breaklights (right)
F30	X		REM 01	3061 LceOutputChannels	BL R WARMUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED breaklights (right)
F30	X		REM 01	3061 LceOutputChannels	BL R IS LED	aktiv	nicht aktiv	To remove blinking from LED breaklights (right)
F30	X		REM 01	3061 LceOutputChannels	FRA H L KALTUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (left)
F30	X		REM 01	3061 LceOutputChannels	FRA H L WARMUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (left)
F30	X		REM 01	3061 LceOutputChannels	FRA H L IS LED	aktiv	nicht aktiv	To remove blinking from LED rear turnsignals (left)
F30	X		REM 01	3061 LceOutputChannels	FRA H R KALTUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (right)
F30	X		REM 01	3061 LceOutputChannels	FRA H R WARMUEBERWACHUNG	nicht aktiv	aktiv	To remove blinking from LED rear turnsignals (right)
F30	X		REM 01	3061 LceOutputChannels	FRA H R IS LED	aktiv	nicht aktiv	To remove blinking from LED rear turnsignals (right)
At this point it is unsure if the following PMA settings will make any difference on cars not equipped with Park Assistant, additional testing is required.								
F30	X		PMA	3001 PdcVehicleConfig	CUT OFF SPEED	Change to own preferen	werte = 0F	Max speed when visible and audible warning is given with PDC (km/h in hexad
F30	X		PMA	3001 PdcVehicleConfig	CUT OFF SPEED HYST	Change to own preferen	werte = 01	Adjustment above or below to CUT OFF SPEED (in km/h hexadecimal)
F30	X		PMA	3003 PdcParkMasterVar	V SCHWELLE 1	werte = FF	werte = 24	Max. speed to disable top camera view (FF = 255 km/h)
F30	X		PMA	3003 PdcParkMasterVar	V SCHWELLE 2	werte = FF	werte = 0F	Max speed to disable rear camera view (FF = 255 km/h)
F30	X		PMA	3003 PdcParkMasterVar	D SCHWELLE 1	werte = FF	werte = 32	Max distance in meters to disable top camera view (FF = 255 meters)
F30	X		PMA	3003 PdcParkMasterVar	D SCHWELLE 2	werte = FF	werte = 0A	Max distance in meters to disable rear camera view (FF = 255 meters)

ot, 'kein_ld' removes it).

ires special cam.)
HDD)

not recommended!)
ct)

this is active)

ot region free.

n't seem to work
needs testing

eds testing

additional testing
g, needs testing
testing

ceived msg about Assist

r doorhandles active!)
lding ribs

hes)

ot yet tested!
)
osing)

ht_aktiv!)

, EU might be able to turn on)
y, EU might be able to turn on)

opened

1 on handle to open door)

s
s

rk with Android)

ecimal)

ecimal)